

Wolfgang Becker *Editor*

Advanced Time- Correlated Single Photon Counting Applications



Springer

Springer Series in Chemical Physics

Volume 111

Series editors

Albert W. Castleman, University Park, USA

J. Peter Toennies, Göttingen, Germany

Kaoru Yamanouchi, Tokyo, Japan

Wolfgang Zinth, München, Germany

The purpose of this series is to provide comprehensive up-to-date monographs in both well established disciplines and emerging research areas within the broad fields of chemical physics and physical chemistry. The books deal with both fundamental science and applications, and may have either a theoretical or an experimental emphasis. They are aimed primarily at researchers and graduate students in chemical physics and related fields.

More information about this series at <http://www.springer.com/series/676>

Wolfgang Becker
Editor

Advanced Time-Correlated Single Photon Counting Applications



Springer

Editor

Wolfgang Becker
Becker & Hickl GmbH
Berlin
Germany

ISSN 0172-6218

Springer Series in Chemical Physics

ISBN 978-3-319-14928-8

ISBN 978-3-319-14929-5 (eBook)

DOI 10.1007/978-3-319-14929-5

Library of Congress Control Number: 2015932848

Springer Cham Heidelberg New York Dordrecht London

© Springer International Publishing Switzerland 2015

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

Springer International Publishing AG Switzerland is part of Springer Science+Business Media
(www.springer.com)

Preface

Time-correlated single photon counting (TCSPC) was born 54 years ago, in 1960, when Bollinger and Thomas published a paper on the ‘Measurement of Time Dependence of Scintillation Intensity by a Delayed Coincidence Method’. Desmond O’Connor and David Phillips published their book, *Time-Correlated Single Photon Counting*, 31 years ago. *Advanced Time-Correlated Single Photon Counting Techniques* appeared 10 years ago.

Can a measurement technique survive for more than half a century? Yes, if it is constantly developing. And there has been a lot of development in TCSPC: The electronics have become orders of magnitude faster, and high-repetition-rate lasers and reversed start-stop have resulted in dramatically shorter acquisition times. Faster detectors are now available and fast excitation sources are more affordable.

A big step forward was the introduction of multidimensional TCSPC in 1993. Optical signals could now be observed not only as a function of the time after an excitation pulse but simultaneously as multidimensional functions of wavelength, polarization, experiment time, spatial parameters, or any other physical quantity describing the momentary state of the measurement object. This paved the way for another breakthrough, the combination of TCSPC with microscopy. Fluorescence lifetime measurements could now be performed in biological tissue, in single cells, and even in single biomolecules. The fluorescence lifetime, formerly considered simply the time a molecule stays in the excited state and possibly undergoes photo-induced reactions, became an indicator of the molecular environment of the molecule.

Techniques based on FRET and other conformation-dependent effects have been developed to investigate the function of biological systems. The combination of spatial resolution on the microscopic and submicroscopic scale with molecular information is one of the big advances of the past several decades, recognized by the award of the 2014 Nobel prize to Eric Betzig, Stefan W. Hell, and William E. Moerner.

Microscopy has created another level of multidimensionality. Histograms of fluorescence parameters can be built up over a large number of pixels in a fluorescence lifetime image or over a large number of molecules that have diffused

through a femtoliter observation volume. These data reveal subpopulations of biomolecules, subpopulations of molecules of different conformations, and transitions between different conformations.

High sensitivity, high time resolution, and the ability of TCSPC to obtain multiple biomedically relevant parameters from a single measurement have led to a variety of clinical applications. These range from fluorescence lifetime measurements on the spatial scale of single cells, to imaging of millimeter- and centimeter-size areas, to diffuse optical imaging techniques that reveal biochemical information from deep inside living tissue.

The complexity of these applications has, however, also created a problem: Understanding advanced TCSPC requires complex, almost magical, thinking, and a solid understanding not only of the TCSPC technique but also of modern microscopy techniques and other optical methods. There is a similar situation in J.K. Rowling's Harry Potter stories (I recommend them as supplementary literature): There are people who can do magic (witches and wizards) and normal people (Muggles) who cannot understand or even see magic when it happens. But there is hope: Hermione Granger was Muggle-born and became the best of her year at Hogwarts.

This book should be considered a continuation of W. Becker, *Advanced Time-Correlated Single Photon Counting Techniques*, Springer (2005). It is an attempt to spread the ideas of advanced time-resolved optical techniques more widely in the scientific community. It contains both chapters about the basics of multidimensional TCSPC and about applications in biology and medicine. The chapters are written by an originator of the technique and by successful users. Our hope is that this combination helps potential users better understand the technique, its various implementations, and encourages its adoption in their own research.

Berlin

Wolfgang Becker

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction to Multi-dimensional TCSPC | 1 |
| | Wolfgang Becker | |
| 1.1 | Time-Resolved Optical Detection at Low Light Intensity | 2 |
| 1.2 | Principle of Time-Correlated Single Photon Counting | 3 |
| 1.3 | Multi-dimensional TCSPC | 9 |
| 1.3.1 | Principle of Multi-dimensional Recording | 9 |
| 1.3.2 | Architecture of TCSPC for Multidimensional Data Acquisition. | 11 |
| 1.4 | Multidimensional TCSPC Implementations. | 12 |
| 1.4.1 | Multi-detector and Multi-wavelength TCSPC | 13 |
| 1.4.2 | Excitation Wavelength Multiplexing | 16 |
| 1.4.3 | Spatial Multiplexing | 18 |
| 1.4.4 | Time-Series Recording | 19 |
| 1.4.5 | Fluorescence Lifetime Imaging (FLIM) | 21 |
| 1.4.6 | FLITS | 32 |
| 1.4.7 | Phosphorescence Lifetime Imaging (PLIM) | 34 |
| 1.4.8 | Multi-dimensional Recording by Modulation of Experiment Parameters | 37 |
| 1.5 | Using Parameter-Tagged Single-Photon Data | 40 |
| 1.5.1 | Structure of Parameter-Tagged Single-Photon Data | 40 |
| 1.5.2 | Calculation of FCS from Parameter-Tagged Data | 41 |
| 1.5.3 | Single-Molecule Burst Analysis | 50 |
| 1.6 | Summary | 55 |
| | References. | 56 |
| 2 | TCSPC FLIM with Different Optical Scanning Techniques | 65 |
| | Wolfgang Becker, Vladislav Shchеславский and Hauke Studier | |
| 2.1 | Introduction | 66 |
| 2.2 | Laser Scanning Microscopes | 68 |

| | | |
|-------|--|-----|
| 2.2.1 | Confocal Microscopes | 68 |
| 2.2.2 | Multi-photon Microscopes | 72 |
| 2.2.3 | Image Size in FLIM | 75 |
| 2.2.4 | Signal-to-Noise Ratio and Acquisition Time of FLIM | 76 |
| 2.2.5 | Nonlinear Scanning | 81 |
| 2.2.6 | Tuneable Excitation | 81 |
| 2.2.7 | Excitation Wavelength Multiplexing | 84 |
| 2.3 | FLIM with Near-Infrared Dyes | 85 |
| 2.3.1 | Optical System | 85 |
| 2.3.2 | Confocal System, One-Photon Excitation with ps Diode Laser | 87 |
| 2.3.3 | Confocal System, One-Photon Excitation by Ti:Sa Laser | 89 |
| 2.3.4 | Two-Photon FLIM with OPO Excitation | 90 |
| 2.4 | Mosaic FLIM | 92 |
| 2.4.1 | X-Y Mosaic | 92 |
| 2.4.2 | Multi-wavelength FLIM Mosaic | 93 |
| 2.4.3 | Z-Stack Recording by Mosaic FLIM | 95 |
| 2.4.4 | Temporal Mosaic FLIM | 96 |
| 2.5 | Macroscopic FLIM | 98 |
| 2.5.1 | Examples | 99 |
| 2.5.2 | Image Area and Resolution | 99 |
| 2.5.3 | Collection Efficiency and Required Laser Power | 100 |
| 2.5.4 | Acquisition Times | 101 |
| 2.6 | Scanning Through Periscopes | 101 |
| 2.7 | Polygon Scanners | 104 |
| 2.8 | Scanning with Piezo Stages | 105 |
| 2.8.1 | Optical System | 105 |
| 2.8.2 | Synchronisation of the Scanner with the TCSPC Module | 106 |
| 2.9 | NSOM FLIM | 108 |
| 2.10 | STED FLIM | 110 |
| 2.11 | Summary | 113 |
| | References | 113 |
| 3 | Fluorescence Lifetime Imaging (FLIM): Basic Concepts and Recent Applications | 119 |
| | Klaus Suhling, Liisa M. Hirvonen, James A. Levitt, Pei-Hua Chung, Carolyn Tregido, Alix le Marois, Dmitri A. Rusakov, Kaiyu Zheng, Simon Ameer-Beg, Simon Poland, Simon Coelho and Richard Dimble | |
| 3.1 | Introduction | 120 |
| 3.2 | Fluorescence | 122 |
| 3.3 | Fluorescence Probes | 125 |

| | | |
|--------|--|-----|
| 3.4 | FLIM Implementations | 126 |
| 3.4.1 | Wide-Field Imaging with a Gated Camera | 131 |
| 3.4.2 | Streak Cameras. | 131 |
| 3.4.3 | Wide-Field Imaging with Modulated Camera | 132 |
| 3.4.4 | Wide-Field TCSPC | 132 |
| 3.4.5 | Point Scanning with Detection in the Frequency Domain | 133 |
| 3.4.6 | Point Scanning with Analog Detection | 133 |
| 3.4.7 | Point Scanning with Gated Photon Counting | 134 |
| 3.4.8 | Point Scanning with Multi-dimensional TCSPC | 134 |
| 3.4.9 | Excitation Sources | 136 |
| 3.4.10 | FLIM Implementation | 137 |
| 3.5 | FLIM Applications in the Life Sciences. | 137 |
| 3.5.1 | Förster Resonance Energy Transfer (FRET) | 137 |
| 3.5.2 | Mapping Viscosity by Lifetime of Molecular Rotors | 141 |
| 3.5.3 | Temperature Mapping | 143 |
| 3.5.4 | Mapping of the Refractive Index. | 145 |
| 3.5.5 | Metal-Modified Fluorescence | 146 |
| 3.5.6 | Mapping of Glucose | 148 |
| 3.5.7 | Mapping of Ion Concentrations. | 149 |
| 3.5.8 | FLIM to Map the pH | 151 |
| 3.5.9 | Lifetime Imaging to Map Oxygen. | 152 |
| 3.5.10 | FLIM of Autofluorescence of Tissue, Eyes and Teeth. | 152 |
| 3.5.11 | Simultaneous FLIM of Fluorophores with Different Emission Spectra | 155 |
| 3.5.12 | Polarization-Resolved FLIM. | 157 |
| 3.5.13 | Phasor Analysis and Bayesian Analysis. | 163 |
| 3.6 | Summary and Outlook. | 164 |
| | References. | 164 |
| 4 | Determination of Intracellular Chloride Concentrations by Fluorescence Lifetime Imaging | 189 |
| | Thomas Gensch, Verena Untiet, Arne Franzen, Peter Kovermann and Christoph Fahlke | |
| 4.1 | Introduction | 190 |
| 4.2 | Importance of Chloride Ions in Disease-Relevant Physiological Processes | 190 |
| 4.3 | Fluorescence Imaging of Chloride—Historical | 191 |
| 4.3.1 | Genetically Encoded Fluorescent Sensors for Chloride Based on FPs. | 192 |
| 4.3.2 | Fluorescent Organic Dyes Sensing Chloride Based on Quinolinium Dyes. | 194 |

| | | |
|----------|---|------------|
| 4.4 | Fluorescence Lifetime Imaging of Chloride—Practical | 196 |
| 4.4.1 | General Principle | 196 |
| 4.4.2 | FLIM Measurement Setup | 198 |
| 4.5 | Reversible Change of $[Cl^-]_{int}$ in a KCC2 Stable Cell Line | 200 |
| 4.6 | Intracellular Cl^- Concentration in GLAST-Positive Astrocytes | 203 |
| 4.7 | Outlook | 204 |
| | References | 206 |
| 5 | Calcium Imaging Using Transient Fluorescence-Lifetime Imaging by Line-Scanning TCSPC | 213 |
| | Samuel Frere and Inna Slutsky | |
| 5.1 | Calcium Imaging | 213 |
| 5.2 | Principles of Fluorescence Lifetime-Transient Scanning (FLITS) | 216 |
| 5.3 | Procedure | 218 |
| 5.4 | Results | 219 |
| 5.5 | Conclusions | 222 |
| | References | 223 |
| 6 | Imaging Cell and Tissue O_2 by TCSPC-PLIM | 225 |
| | James Jenkins, Ruslan I. Dmitriev and Dmitri B. Papkovsky | |
| 6.1 | Introduction | 226 |
| 6.1.1 | Tissue O_2 : Simple Molecule, Complex Functions | 226 |
| 6.1.2 | 2D and 3D Tissue Cultures | 226 |
| 6.1.3 | Phosphorescent Probes for O_2 Sensing and Imaging | 227 |
| 6.1.4 | O_2 Imaging Modalities | 229 |
| 6.2 | Set-Up for O_2 Imaging by TCSPC-PLIM | 233 |
| 6.3 | Experimental Procedure | 236 |
| 6.3.1 | Sample Preparation | 236 |
| 6.3.2 | Measurement | 237 |
| 6.3.3 | Data Analysis and Processing | 237 |
| 6.3.4 | O_2 Calibration | 238 |
| 6.4 | Practical Uses of 3D O_2 Imaging | 238 |
| 6.4.1 | Staining of Various Cell and Tissue Models with O_2 Probes | 238 |
| 6.4.2 | Analysis of Spheroid Oxygenation at Rest and upon Metabolic Stimulation | 240 |
| 6.4.3 | Monitoring of Oxygenation of Cells Grown on Phosphorescent O_2 -Sensitive Scaffolds | 242 |
| 6.5 | Conclusions | 244 |
| | References | 244 |

| | |
|--|-----|
| 7 FRET Microscopy: Basics, Issues and Advantages of FLIM-FRET Imaging | 249 |
| Ammasi Periasamy, Nirmal Mazumder, Yuansheng Sun, Kathryn G. Christopher and Richard N. Day | |
| 7.1 Introduction | 250 |
| 7.2 Basics of FRET | 251 |
| 7.3 FRET Pairs | 253 |
| 7.3.1 Organic Fluorophores | 253 |
| 7.3.2 Visible Fluorescent Proteins (VFPs) | 254 |
| 7.4 Intensity-Based FRET Microscopy, Its Issues and Data Analysis | 255 |
| 7.4.1 What Are the Issues Including Signal Bleed-Through in Intensity-Based FRET? | 256 |
| 7.4.2 Processed FRET: PFRET Data Analysis | 256 |
| 7.5 FLIM Microscopy | 258 |
| 7.5.1 Frequency-Domain FLIM | 258 |
| 7.5.2 Time-Domain FLIM | 259 |
| 7.5.3 Advantages of FLIM-FRET Imaging | 261 |
| 7.5.4 FLIM-FRET Standards | 261 |
| 7.6 Instrumentation for FLIM-FRET Image Acquisition and Processing | 262 |
| 7.6.1 FLIM-FRET Imaging System, Acquisition and Analysis | 262 |
| 7.6.2 TCSPC FLIM Data Analysis | 263 |
| 7.6.3 Measuring the Instrument Response Function (IRF) | 264 |
| 7.7 Applications | 265 |
| 7.7.1 FRET with Dark Acceptor | 266 |
| 7.7.2 Live Versus Fixed Cells for FLIM-FRET Imaging . . . | 268 |
| 7.7.3 Homo-Dimerization of the CCAAT/Enhancer Binding Protein Alpha (C/EBP α) Transcription Factor | 269 |
| 7.7.4 Endogenous Fluorophores for FRET (NADH-Tryptophan Interaction) | 270 |
| 7.8 Summary | 271 |
| References | 272 |
| 8 Monitoring HIV-1 Protein Oligomerization by FLIM FRET Microscopy | 277 |
| Ludovic Richert, Pascal Didier, Hugues de Rocquigny and Yves Mély | |
| 8.1 Introduction | 278 |
| 8.1.1 HIV-1 Proteins | 278 |
| 8.1.2 FLIM-FRET Technique | 278 |
| 8.1.3 FRET to Multiple Acceptors | 280 |

| | | |
|----------|--|------------|
| 8.2 | Vpr Oligomerization | 281 |
| 8.2.1 | Vpr Protein | 281 |
| 8.2.2 | Fluorescence Lifetimes of Vpr-eGFP Fusion Proteins | 282 |
| 8.2.3 | Two-Component FRET Analysis | 284 |
| 8.2.4 | Determination of Oligomer-Size by FCS | 286 |
| 8.2.5 | Mapping of Vpr Domains | 289 |
| 8.2.6 | Interaction with Pr55 ^{Gag} | 290 |
| 8.3 | Oligomerization of Vif Proteins | 291 |
| 8.3.1 | Self Association | 291 |
| 8.3.2 | Interaction with Pr55 ^{Gag} | 295 |
| 8.3.3 | Binding to A3G | 295 |
| 8.4 | HIV-1 Assembly: Pr55 ^{Gag} Oligomerization | 296 |
| 8.5 | Conclusion | 301 |
| | References | 301 |
| 9 | Unraveling the Rotary Motors in F_oF₁-ATP Synthase by Time-Resolved Single-Molecule FRET | 309 |
| | Michael Börsch | |
| 9.1 | Detecting Single Molecules for Two Decades | 309 |
| 9.2 | Binding and Diffusion of Single Molecules Through a Confocal Detection Volume | 311 |
| 9.3 | Analyzing Conformations of Single Molecules by FRET | 313 |
| 9.4 | The Membrane-Bound Enzyme F _o F ₁ -ATP Synthase | 315 |
| 9.4.1 | Single-Molecule Methods to Monitor Rotary Catalysis of F _o F ₁ -ATP Synthase | 316 |
| 9.4.2 | The TCSPC Approach to Monitor F _o F ₁ -ATP Synthase by Single-Molecule FRET | 318 |
| 9.4.3 | Different FRET Levels in Single F _o F ₁ -ATP Synthases | 319 |
| 9.4.4 | Dwell Time Analysis of FRET Levels | 321 |
| 9.4.5 | FRET Transition Density Plots for Sequential Conformational Changes | 322 |
| 9.4.6 | Advanced TCSPC Methods for Time-Resolved and DCO-ALEX FRET | 323 |
| 9.4.7 | Single-Molecule FRET Imaging of Immobilized F _o F ₁ -ATP Synthases | 327 |
| 9.5 | Perspectives | 329 |
| | References | 332 |

| | |
|---|-----|
| 10 Partitioning and Diffusion of Fluorescently Labelled FTY720 in Resting Epithelial Cells | 339 |
| Dhanushka Wickramasinghe, Randi Timerman, Jillian Bartusek and Ahmed A. Heikal | |
| 10.1 Introduction | 340 |
| 10.2 Materials and Methods | 343 |
| 10.2.1 Sample Preparation | 343 |
| 10.2.2 FLIM System | 343 |
| 10.2.3 FCS Recording | 345 |
| 10.3 Results and Discussion | 346 |
| 10.3.1 Internalization and Partitioning of Bodipy-FTY720 in C3H10T1/2 Cells | 346 |
| 10.3.2 2-Photon-FLIM Reveals Heterogeneity of Cellular Bodipy-FTY720 | 347 |
| 10.3.3 Rotational Diffusion, Fluidity, and Order of Bodipy-FTY720 in C3H10T1/2 Cells | 349 |
| 10.3.4 Translational Diffusion of Bodipy-FTY720 in C3H10T1/2 Cells | 350 |
| 10.4 Conclusion | 353 |
| References | 353 |
| 11 Probing Microsecond Reactions with Microfluidic Mixers and TCSPC | 357 |
| Sagar V. Kathuria and Osman Bilsel | |
| 11.1 Introduction and Overview | 357 |
| 11.1.1 Micromachining Advances Usher in a New Era | 359 |
| 11.1.2 Concurrent Advances in TCSPC | 360 |
| 11.1.3 Merging Microfluidics and TCSPC | 360 |
| 11.1.4 Matching Simulation and Experiment | 360 |
| 11.2 Microfluidic Mixing Methods | 361 |
| 11.2.1 Materials | 363 |
| 11.2.2 Optimization of Mixer Designs by Simulation | 364 |
| 11.3 Interfacing Microfluidic Chips with TCSPC | 365 |
| 11.3.1 Advantages of TCSPC | 365 |
| 11.3.2 Instrumentation | 366 |
| 11.3.3 Alignment | 367 |
| 11.3.4 Data Acquisition Protocol | 368 |
| 11.3.5 Point Scanning TCSPC Versus CCD Based Steady-State Acquisition | 370 |
| 11.3.6 Alternative Approaches | 370 |
| 11.4 Data Analysis | 371 |
| 11.4.1 First Moment | 372 |
| 11.4.2 Global Analysis | 374 |

| | | |
|-----------|---|------------|
| 11.4.3 | Global Analysis with Diffusion of Donor and Acceptor | 376 |
| 11.4.4 | SVD: Singular Value Decomposition. | 377 |
| 11.4.5 | Maximum Entropy | 377 |
| 11.5 | Future Prospects | 380 |
| | References | 381 |
| 12 | An Introduction to Interpreting Time Resolved Fluorescence Anisotropy Curves | 385 |
| | Steven S. Vogel, Tuan A. Nguyen, Paul S. Blank and B. Wieb van der Meer | |
| 12.1 | Introduction | 385 |
| 12.2 | The Molecular Basis for Orientation of Fluorescence Emission | 386 |
| 12.3 | How Do We Measure the Anisotropy of Polarized Fluorescence Emissions? | 388 |
| 12.4 | How Are Polarized Emissions Quantified? | 392 |
| 12.5 | Calculating the Time-Resolved Anisotropy Curve | 395 |
| 12.6 | The Anatomy of Time-Resolved Anisotropy | 398 |
| 12.7 | Depolarization Factors and Soleillet's Rule | 399 |
| 12.7.1 | Instrumental Depolarization | 399 |
| 12.7.2 | Depolarization Due to Molecular Rotation | 401 |
| 12.7.3 | Depolarization Due to Homo-FRET A.K.A. Energy Migration | 402 |
| 12.7.4 | Complex Time-Resolved Anisotropy Curves | 404 |
| | References | 405 |
| 13 | Time-Resolved Spectroscopy of NAD(P)H in Live Cardiac Myocytes | 407 |
| | Alzbeta Marcek Chorvatova | |
| 13.1 | Non-invasive Investigation of Metabolic Oxidative State in Living Cardiac Myocytes | 408 |
| 13.1.1 | Experimental Set-up for Time-Resolved NAD(P)H Recordings on Living Cardiac Cells | 408 |
| 13.1.2 | Time-Resolved Fluorescence Spectroscopy of NAD(P)H in Vitro | 410 |
| 13.1.3 | Time-Resolved NAD(P)H Fluorescence Spectroscopy in Cardiac Mitochondria | 411 |
| 13.1.4 | Time-Resolved NAD(P)H Fluorescence Spectroscopy in Isolated Cardiac Myocytes | 413 |
| 13.2 | Analysis of Individual NAD(P)H Fluorescence Components | 413 |
| 13.2.1 | Global Analysis and Decay Associated Spectra (DAS) | 415 |